



CM 1500



CM1500 V: the high speed single disc machine suitable for restoration and dry polishing work

CM1500 V is the high speed single disc machine from Comac that's suitable for restoration and dry polishing work. Extremely easy to handle, it is supplied with a vacuum mechanism for collecting dust in the dedicated container compartment.

Equipped with an exceptional balancing system and gas spring on the handle, the CM1500 V is extremely pleasant to use, with no user-fatigue.

The CM1500 V high speed professional single disc machine from Comac is the ideal solution for service and cleaning contractors operating in hotels, convention centers and for use in the HoReCa, Health, Public, Automotive, Retail and Large-Scale Retailing sectors.



MODELS

CM1500 V

Working width: 500 mm

Power supply: cable

Drive: direct

Key elements and best technologies placed at the service of CM1500 V single disc machine, to guarantee optimal performance:

- High speed single disc machine recommended for restoration and dry polishing work
- Exceptional balancing system that makes it use extremely pleasant, with no operator fatigue. It also prevents the operator from burning and/or damaging the surface being treated, ensuring results with excellent shine.
- Extremely easy to handle thanks to the gas spring on the handle.
- The brush conveys the dirt collected by the vacuum system into a collection bag, preventing the dust produced from being dispersed into the environment. The bag is easy to remove and replace.
- The direct drive requires no maintenance, allowing significant economic savings over time.
- Extremely quiet operation, so it can also be used in environments where discretion and silence are necessary.
- The single disc machine is easy to move thanks to the special transportation wheels.
- Stop&Go: when the machine is temporarily idle, the brushes are halted so as to optimize consumption and reduce waste



STOP&GO

The system for making cleaning operations more economical, optimizing consumption and reducing emissions

When the machine is temporarily idle, the solution flow is interrupted. In this way consumptions are optimized and wastes reduced.

REFERENCE SECTORS



Cleaning contractors



Health



Public



HoReCa



Retail



Automotive



Large-Scale Retailing



Transport

Kit and accessories available for CM1500



416652 Pad holder



441250 Extension cord with EU plug



401132 Paper filter bag

Legend

• standard ◊ optional

TECHNICAL DATA		CM1500 V
Drive	-	Direct Drive
Working width	mm/inch	500/19,68
Pad	mm/inch	Ø 500/19,68
Brush rotations	rpm	1500
Power supply	V/Hz	230/50*
Max. power	W/Hp	1100
Net weight	Kg/lbs	38/83,77
Machine dimensions (Lxhxw)	mm/inch	610x1260x540/24x49,6x21,25

*other voltages available upon request



COMAC S.p.A. Via Maestri del Lavoro, 13 - 37059 Santa Maria di Zevio - Verona - ITALY
Tel. 045 8774222- www.comac.it - com@comac.it

Organisation certified by Q.C.B. Italia ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

